

Technical Rider - Sound and light requirements Exit 207

PA-System:

High quality PA system, well suited for venue

Depending on type of event, it should give at least 100 to 110dB(A) at FOH

Recommended systems: d&b, Nexo, JBL, L-acoustics, Adamson, ...

FOH: (placed 15-25m in front of stage on riser, centered!):

32 channel digital mixing desk (Yamaha M7 CL32, Yamaha QL-1 or QL-5 recommended)

No Behringer equipment!

Monitor:

32 channel monitor desk (for larger stage only)

Multicore with adequate splitter

min. 7 aux sends

IEM with 7 receivers excluding ear phones

For larger stages drum-fill and side-fills

Experienced monitor technician (for larger stages only)

Riser:

Drums: 2m x 2m x 0,4m

Keyboards: 2m x 2m x 0,4m

FOH, Light: 4m x 3m x 0,5m

Light:

Trussing according to stage size, well suited and certified for load

12x Moving lights min. 575 HMI (heads and scanners can be mixed)

2x 4-Blinder groups

3x ACL Bars (3 groups)

4x DTS Scena 650/1000 Fresnel

1 Hazer (ie. Look Unique, ...)

1 Fogger 1600W (ie. JEM Magnum Pro 2000, ...)

Universal lighting control desk (ie. Licon 1x, GrandMA, ...) - NO PC-only system

For further information or any changes please contact:


Harry Böhaker, Cell phone +43 664 4551856, office@exit207.com

Technical Rider – Channel list Exit 207

<u>Ch</u>	<u>Instrument</u>	<u>Subcore</u>	<u>Mic/DI</u>	<u>Stand</u>
1	Kick		Beta 91, 52	(small)
2	Snare		SM 57	med. boom
3	Piccolo Snare		SM 57	small round base
4	HiHat		C451,...	med. boom
5	Tom 1		Beta 98, e604,..	clamp
6	Tom 2		Beta 98, e604,..	clamp
7	Tom 3		Beta 98, e604,..	clamp
8	Drum Pad L		DI	
9	Drum Pad R		DI	clmap
10	OH L		C414, KM184,...	large boom
11	OH R		C414, KM184,...	large boom
12	Bass		DI	
13	Synth Bass		DI	
14	Git L		SM57, E606	med. boom
15	Git R		SM57, E606	med. boom
16	Git Keys		DI	
17	Git Acoustic		DI	
18	Piano L		DI	
19	Piano R		DI	
20	Synth L		DI	
21	Synth R		DI	
22	Voc female singer L		SM58 wireless	round straight boom
23	Voc female singer R		SM58 wireless	round straight boom
24	Voc male singer center		SM58 wireless	round straight boom
25	Voc Keys		SM58	large boom
26	Voc Bass		SM58	large boom
27	Voc Drums		SM58	large boom
28	Voc Git		SM58	large boom
29	Spare			
30	Spare			
31	Spare			
32	Spare			
R1	IE1/Wedge Git			
R2	IE2 Voc female singer L			
R3	IE3 Voc female singer R			
R4	IE4 Voc male singer center			
R5	IE5/Wedge Bass			
R6	IE6/Wedge Keys			
R7	IE7/Wedge Drums			
R8	Spare			

Technical Rider – Stageplot Exit 207

9m x 6m x 0,8m (min. 8m x 5m x 0,6m)



 Vocal with boom stand

 230V AC power outlet